


KDa



Cycle number






Fig. 3


3) antibody on O-Sepharose under non-binding conditions in 20 mM Na phosphate/80 Aggregate Profile for NS0 6A1 (B72.mM NaCl pH 6.5 buffer




Fraction Number

Aggregate Profile for NS0 6A1 (B72.3) antibody on O-Sepharose under non-binding conditions in 20 mM TrisHCV75 mM NaCl pH 8.0 buffer Figure 5:






SUBSTITUTE SHEET (RULE 26)




SUBSTITUTE SHEET (RULE 26)

Fig. 8: Triple detection chromatogram (UV,RALS, DP) of the Q-purified antibody sample.




SUBSTITUTE SHEET (RULE 26)

Fig. 9




SUBSTITUTE SHEET (RULE 26)

Fig. 10




SUBSTITUTE SHEET (RULE 26)


Fig. 11



SUBSTITUTE SHEET (RULE 26)


Fig.12






SUBSTITUTE SHEET (RULE 26)


Fig.13



SUBSTITUTE SHEET (RULE 26)


Fig. 14






SUBSTITUTE SHEET (RULE 26)


Fig. 15






SUBSTITUTE SHEET (RULE 26)


Fig.16






SUBSTITUTE SHEET (RULE 26)

Fig. 17







SUBSTITUTE SHEET (RULE 26)